

PRESS RELEASE

PRESS RELEASEFebruary 14, 2018 || Page 1 | 3

Come together: teamwork achieves optimum composite design

At the JEC World Composite Show in Paris this March, the Fraunhofer Institute for Structural Durability and System Reliability LBF in Darmstadt and the Fraunhofer Institute for Laser Technology ILT in Aachen will be demonstrating how well-coordinated collaboration makes it possible to optimize a hybrid automotive component for series production: Together with their industrial partners, these Fraunhofer institutes have developed a multi-material roof bow as an exhibition piece, which the researchers are looking to present for the first time at a joint booth hosted by the Aachen Center for Integrative Lightweight Production AZL, Hall 5/C55.

Within the HyBriLight project sponsored by Germany's Federal Ministry of Education and Research, a hybrid component has been developed that demonstrates the successful implementation of new innovative laser processes in lightweight production. The hybrid component is what is known as a roof bow, based on an original component of a BMW 7 Series vehicle. It consists of a fiber-reinforced plastic brace bonded to two metal connecting plates. These attach the part to the chassis. As an alternative to the glue and rivets used up to now, the Fraunhofer ILT has developed a new laser-based bonding process that joins plastic and metal via positive locking and adhesion.

Ultrafast pulse laser gives the metal surface its special structure

An ultrafast pulse laser first generates sponge-like micro and nano structures on the joining partners' metal surface. Next, the fiber-reinforced plastic brace is compression molded and joined to the metal plates in the same process step. This requires the connecting plates to be placed in a special variothermal mold. Then, during the compression molding process, polymer melt fills the metal structures. Once solidified, the plastic and the metal form a strong and durable bond through clawing. Local tape reinforcement increases the component's rigidity. The component is then trimmed by fiber laser in a multi-pass process.

Fraunhofer LBF has optimized the design of this special hybrid connection. "We used material samples to analyze the static and cyclical loads," says Dominik Spancken, Experimental Durability Plastics business team leader at Fraunhofer LBF. Those findings are used to estimate the component's service life, and are validated by experimental tests."

Editorial Notes

Petra Nolis M.A. | Group Manager Communications | Telephone +49 241 8906-662 | petra.nolis@ilt.fraunhofer.de
Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany | www.ilt.fraunhofer.de

**FRAUNHOFER INSTITUTE FOR STRUCTURAL DURABILITY AND SYSTEM RELIABILITY LBF
FRAUNHOFER INSTITUTE FOR LASERTECHNOLOGY ILT**

High tensile shear strength thanks to optimized design

Through the teamwork of these two Fraunhofer Institutes and their industrial partners, it has been possible to create with a validated process a hybrid component with a shear strength of nearly 50 MPa. To be able to produce this part more cost efficiently, a thermoplastic glass fiber reinforced PA6 matrix is used instead of the carbonfiber reinforced Duroplast brace. In order to maintain the original part's rigidity and stability, parts of the roof bow were locally reinforced using unidirectional carbon fiber tape. The cycle time for producing one component is around 75 seconds.

PRESS RELEASE

February 14, 2018 || Page 2 | 3

Process time reduced 70 percent

"The result is something to be proud of," says project coordinator Kira van der Straeten, a scientist in the Plastics Processing Group at Fraunhofer ILT. "This innovation achieves a 70 percent reduction in process times compared to conventional processes, a 45percent reduction in raw material costs and the integration of multiple process steps into one highly automated process."

Project HyBriLight

The BMBF project HyBriLight is creating photonic tools for lightweight engineering. This is specifically about a "process chain tailored to the material for cost-efficient hybrid lightweight construction using highly productive laser systems" that will herald the transition from manufacture to series production. Project participants: Fraunhofer Institute for Laser Technology ILT, Aachen (project coordination); Fraunhofer Institute for Structural Durability and System Reliability LBF, Darmstadt; Weber Fibertech GmbH, Markdorf; Werkzeugbau Siegfried Hofmann GmbH, Lichtenfels; Scanlab GmbH, Puchheim; Bayerische Motoren Werke Aktiengesellschaft, Munich; Airbus Group Innovations, Munich; Dilas GmbH, Mainz; Held Systems GmbH, Heusenstramm.

**FRAUNHOFER INSTITUTE FOR STRUCTURAL DURABILITY AND SYSTEM RELIABILITY LBF
FRAUNHOFER INSTITUTE FOR LASERTECHNOLOGY ILT**




Image:

Multi-material roof bow: At the JEC World Composite Show in Paris this March, Fraunhofer LBF and ILT will use this exhibition piece to demonstrate how costs and process time can be reduced for an automotive component.

© Fraunhofer ILT, Aachen, Germany.

PRESS RELEASE

February 14, 2018 || Page 3 | 3

The **Fraunhofer-Gesellschaft** is the leading organization for applied research in Europe. Its research activities are conducted by 69 institutes and research units at locations throughout Germany. The Fraunhofer-Gesellschaft employs a staff of 24,500, who work with an annual research budget totaling 2.1 billion euros. Of this sum, 1.9 billion euros is generated through contract research. More than 70 percent of the Fraunhofer-Gesellschaft's contract research revenue is derived from contracts with industry and from publicly financed research projects. International collaborations with excellent research partners and innovative companies around the world ensure direct access to regions of the greatest importance to present and future scientific progress and economic development.

contact

Kira van der Straeten M. Sc. | Microjoining Group | Telephone +49 241 8906-158

kira.van.der.straeten@ilt.fraunhofer.de | Fraunhofer Institute for Laser Technology ILT | Steinbachstraße 15 | 52074 Aachen, Germany
www.ilt.fraunhofer.de

Dominik Spancken M. Eng. | Department of Lightweight Structures | Telephone +49 6151 705-412

dominik.spancken@lbf.fraunhofer.de | Fraunhofer Institute for Structural Durability and System Reliability LBF | Bartningstraße 47
64289 Darmstadt, Germany | www.lbf.fraunhofer.de